The Network

/etc/network/ interfaces	Interface configuration (if not controlled via network-manager).
if [up][down]	Start, stop network
device	interfaces according to the
001200	file above.
	Show and manipulate
ip	network interfaces and
	routing, needs iproute2.
ssh -X user@host	Login at another machine.
scp files	Copy files to other machine
user@host:path	(and vice versa).



This document may be used under the terms of the GNU General Public License version 3 or higher. The license text can be found at https://www.gnu.org/copyleft/gpl.html and /usr/share/common-licenses/GPL-3.

Copyright © 2004, 2010 W. Martin Borgert Copyright © 2016, 2019 Holger Wansing

Made by: https://www.debian.org/doc/user-manuals#refcard



Debian Reference Card

Version 11 - Debian 11 'Bullseye' - 2021-03-14 https://www.debian.org/

Getting Help

00	tung neip
man nago or man	Read online help for every
man page or man bash	command and many
Dasii	configuration files.
command[help,	Brief help for most
- h]	commands.
	Find all documentation
/usr/share/	here, optional file
doc/package-name/	README.Debian contains
	specifics.
Web	Reference, manuals, FAQs,
documentation	HOWTOs, etc. at https:
documentation	//www.debian.org/doc/
Mailing lists at	The community is always
https://lists.	helpful, search for users.
debian.org/	neipiui, seaich for users.
The Wiki at	Contains all kind of useful
https://wiki.	information.
debian.org/	iiiioi iiiatioii.

Installation

	All information about it at
Installer	https://www.debian.org/
	devel/debian-installer/
CD images	Download from https://
	www.debian.org/distrib/
	E.g. to set up the network
boot: expert	w/o DHCP or to adapt
•	bootloader installation.

Bugs

Bug Tracking at https://bugs.debian.org/	All about existing and fixed bugs.
Package specific	See https://bugs.debian. org/package-name/, use wnpp to ask for new packages.
reportbug	Report a bug by e-mail.
Reporting	Instructions at https://www.debian.org/Bugs/Reporting

Co	nfig	uration	
	A 77		

	All system configuration
/etc/	files are under directory
	/etc/.
editor files	Default text editor. May be
editor rices	nano, emacs, vi, joe.
CUPS at http:	Browser interface to
//hostname:631	printing system.
	Reconfigure a package, e.g.
dpkg-reconfigure	keyboard-configuration
package-name	(keyboard), locales
	(localization).
update-	Manage command
alternatives	alternatives.
options	dittinatives.
update-grub	After changing
upuate-grub	/etc/default/grub.

Daemons and System

Ducing	ons and System
systemctl restart name.service	Restart a service, system daemon.
systemctl stop	Stop a service, system
name.service	daemon.
systemctl start	Start a service, system
name.service	daemon.
systemctl halt	Halts system.
systemctl reboot	Reboots system.
systemctl poweroff	Shuts down system.
systemctl suspend	Suspends system.
systemctl hibernate	Hibernates system.
/var/log/	All log files are under this directory.
/etc/default/	Default values for many daemons and services.

Important Shell Commands

importan	t Shen Commanus
cat files	Print files to screen.
cd directory	Change to directory.
cp files dest	Copy files and directories.
echo string	Echo string to screen.
gzip, bzip2, xz[-d] files	Compress, uncompress files.
pager files	Show contents of files.
ls [files]	List files.
mkdir directory-names	Create directories.
mv file1 file2	Move, rename files.
rm files	Remove files.

Important Shell Commands

Importan	t Shell Commands
rmdir dirs	Remove empty directories.
tar [c][x][t][z][j][J]	Create (c), extract (x), list table of (t) archive file, z for
-f file.tar[files]	.gz, j for .bz2, J for .xz.
find directories	Find files like -name name
expressions	or -size +1000, etc.
grep search-string files	Find search-string in files.
ln -s file link	Create a symbolic link to a file.
ps [options]	Show current processes.
kill [-9] PID	Send signal to process (e.g. terminate it). Use ps for PID.
su - [username]	Become another user, e.g. root.
sudo command	Execute a command as root as normal user, see /etc/sudoers.
command > file	Overwrite file with output of command.
command >> file	Append output of command to file.
cmd1 cmd2	Use output of command 1 as input of command 2.
command < file	Use file as input for command.

APT

apt update	Update packages listings from package repositories as listed in /etc/apt/sources.list. Required whenever that file or the contents of the repositories change.
apt search search-string	Search packages and descriptions for search-string.
apt list -a	Show versions and archive
package-name	areas of available packages.
apt show -a	Show package information
package-name	incl. description.
apt install package-names	Install packages from repositories with all dependencies.
apt upgrade	Install newest versions of all packages currently installed.

APT

	ALI
apt full-upgrade	Like apt upgrade , but with advanced conflict resolution.
apt remove package-names	Remove packages.
apt autoremove	Remove packages that no other packages depend on.
apt depends package-name	List all packages needed by the one given.
apt rdepends package-name	List all packages that need the one given.
apt-file update	Update content listings from package repositories, see apt update .
apt-file search file-name	Search packages for file.
apt-file list package-name	List contents of a package.
aptitude	Console interface to APT, needs aptitude.
synaptic	GUI interface to APT, needs synaptic.

Dpkg

List packages.
Show package information.
List contents of package file.
Show which package a file
belongs to.
Install package files.
Audit check sums of
installed packages.
Override a package's
version of a file.
Compare version numbers.
Compare version numbers;
Compare version numbers; view results with echo \$? .
C +
Sview results with echo \$? . Query installed packages,
Sview results with echo \$? . Query installed packages, format e.g. '\${Package}
Sview results with echo \$? . Query installed packages, format e.g. '\${Package} \${Version}
Sview results with echo \$? . Query installed packages, format e.g. '\${Package}
Sview results with echo \$? . Query installed packages, format e.g. '\${Package} \${Version}
View results with echo \$? . Query installed packages, format e.g. '\${Package} \${Version} \${Installed-Size}\n'.
Sview results with echo \$? . Query installed packages, format e.g. '\${Package} \${Version} \${Installed-Size}\n'. Write package selections to
Sview results with echo \$? . Query installed packages, format e.g. '\${Package} \${Version} \${Installed-Size}\n'. Write package selections to file.
Sview results with echo \$? . Query installed packages, format e.g. '\${Package} \${Version} \${Installed-Size}\n'. Write package selections to